Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssptaeal1624

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * * Welcome to STN International * * * * * * * * * *

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	JAN 02	STN pricing information for 2008 now available
NEWS	3	JAN 16	CAS patent coverage enhanced to include exemplified prophetic substances
NEWS	4	JAN 28	USPATFULL, USPAT2, and USPATOLD enhanced with new custom IPC display formats
NEWS	5	JAN 28	MARPAT searching enhanced
NEWS	6	JAN 28	USGENE now provides USPTO sequence data within 3 days of publication
NEWS	7	JAN 28	TOXCENTER enhanced with reloaded MEDLINE segment
NEWS	8	JAN 28	MEDLINE and LMEDLINE reloaded with enhancements
NEWS	9	FEB 08	STN Express, Version 8.3, now available
NEWS	10	FEB 20	PCI now available as a replacement to DPCI
NEWS	11	FEB 25	IFIREF reloaded with enhancements
NEWS	12	FEB 25	IMSPRODUCT reloaded with enhancements
NEWS	13	FEB 29	WPINDEX/WPIDS/WPIX enhanced with ECLA and current U.S. National Patent Classification
NEWS	14	MAR 31	IFICDB, IFIPAT, and IFIUDB enhanced with new custom IPC display formats
NEWS	15	MAR 31	CAS REGISTRY enhanced with additional experimental spectra
NEWS	16	MAR 31	CA/CAplus and CASREACT patent number format for U.S. applications updated
NEWS	17	MAR 31	LPCI now available as a replacement to LDPCI
NEWS	18	MAR 31	EMBASE, EMBAL, and LEMBASE reloaded with enhancements
NEWS	19	APR 04	STN AnaVist, Version 1, to be discontinued
NEWS	20	APR 15	WPIDS, WPINDEX, and WPIX enhanced with new predefined hit display formats
NEWS	21	APR 28	EMBASE Controlled Term thesaurus enhanced
NEWS	22	APR 28	IMSRESEARCH reloaded with enhancements

NEWS EXPRESS FEBRUARY 08 CURRENT WINDOWS VERSION IS V8.3,
AND CURRENT DISCOVER FILE IS DATED 20 FEBRUARY 2008

NEWS HOURS	STN Operating Hours Plus Help Desk Availability
NEWS LOGIN	Welcome Banner and News Items
NEWS IPC8	For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

<12/04/2007> Erich Leese

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * * * * * * * * * * * * STN Columbus * * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 18:11:37 ON 20 MAY 2008

=> file reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'REGISTRY' ENTERED AT 18:11:44 ON 20 MAY 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 19 MAY 2008 HIGHEST RN 1021481-05-9
DICTIONARY FILE UPDATES: 19 MAY 2008 HIGHEST RN 1021481-05-9

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

=>
Uploading C:\Program Files\Stnexp\Queries\10564123election.str





chain nodes :
15 16 17 18 25 26 27 28 30 31 33 34 35 36 37 38 40 41 42 43
ring nodes :
1 2 3 4 5 6 7 8 9 10 11 12 13 14 19 20 21 22 23 24
chain bonds :
1-35 2-15 4-16 7-42 7-43 8-40 8-41 11-38 12-17 13-37 14-36 15-22 15-30
17-18 19-34 20-31 21-26 23-25 24-33 25-27 26-28
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-10 7-8 8-9 9-10 9-11 10-14 11-12 12-13
13-14 19-20 19-24 20-21 21-22 22-23 23-24
exact/norm bonds :
1-2 1-6 1-35 2-3 2-15 3-4 4-5 4-16 5-6 5-7 6-10 7-8 7-42 7-43 8-9
8-40 8-41 11-38 12-17 13-37 14-36 15-22 15-30 17-18 19-34 20-31 21-26
23-25 24-33 25-27 26-28
normalized bonds :
9-10 9-11 10-14 11-12 12-13 13-14 19-20 19-24 20-21 21-22 22-23 23-24
isolated ring systems :
containing 1 : 19 :

G1:C,H

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:Atom 13:Atom 14:Atom 15:CLASS 16:CLASS 17:CLASS 18:CLASS 19:Atom
20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:CLASS 26:CLASS 27:CLASS
28:CLASS 30:CLASS 31:CLASS 33:CLASS 34:CLASS 35:CLASS 36:CLASS 37:CLASS
38:CLASS 40:CLASS 41:CLASS 42:CLASS 43:CLASS

L1 STRUCTURE UPLOADED

=> d l1
L1 HAS NO ANSWERS
L1 STR



G1 C,H

Structure attributes must be viewed using STN Express query preparation.

=> s l1 full
FULL SEARCH INITIATED 18:12:16 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 12 TO ITERATE

100.0% PROCESSED 12 ITERATIONS 1 ANSWERS
SEARCH TIME: 00.00.01

L2 1 SEA SSS FUL L1

=> file caplus
COST IN U.S. DOLLARS SINCE FILE ENTRY TOTAL SESSION
FULL ESTIMATED COST 178.36 178.57

FILE 'CAPLUS' ENTERED AT 18:12:21 ON 20 MAY 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is
held by the publishers listed in the PUBLISHER (PB) field (available
for records published or updated in Chemical Abstracts after December
26, 1996), unless otherwise indicated in the original publications.
The CA Lexicon is the copyrighted intellectual property of the

American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 20 May 2008 VOL 148 ISS 21
FILE LAST UPDATED: 19 May 2008 (20080519/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/legal/infopolicy.html

=> s l2 full
L3 1 L2

=> d ibib abs hitstr

L3 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN
ACCESSION NUMBER: 2005:71068 CAPLUS
DOCUMENT NUMBER: 142:150832
TITLE: Novel inhibitors of mammalian YAK3 and/or MAPKAP-2 kinases for treating various disorders
INVENTOR(S): Sato, Hideyuki; Takada, Mio; Washio, Yoshiaki
PATENT ASSIGNEE(S): Smithkline Beecham Corporation, USA
SOURCE: PCT Int. Appl., 52 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005007092	A2	20050127	WO 2004-US21701	20040707
WO 2005007092	A3	20050609		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1641766	A2	20060405	EP 2004-777657	20040707
R: LT, LV, HR				
JP 2007525475	T	20070906	JP 2006-518862	20040707
US 20060178384	A1	20060810	US 2006-564123	20060106
PRIORITY APPLN. INFO.:			US 2003-485365P P	20030708
			WO 2004-US21701 W	20040707

OTHER SOURCE(S): CASREACT 142:150832; MARPAT 142:150832

AB This invention relates to newly identified inhibitors of YAK3 and/or MAPKAP-2 (MK2) kinases in mammal for treating various disorders, i.e.: neutropenia; cytopenia; anemias, including anemias due to renal insufficiency or to a chronic disease, such as autoimmunity or cancer, and drug-induced anemias; polycythemia; myelosuppression; rheumatoid arthritis; COPD; asthma; psoriasis; acute neuronal injury; heart failure; stroke, osteoarthritis; and ischemia reperfusion injury. Preparation of various inhibitors of YAK3 and/or MK2 kinases is described.

IT 830358-16-2P
RL: BSU (Biological study, unclassified); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(novel inhibitors of mammalian YAK3 and/or MAPKAP-2 kinases for treating various disorders)

RN 830358-16-2 CAPLUS
CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 2-[(2,6-dimethoxyphenyl)amino]-6,7-dihydro-9-methoxy- (CA INDEX NAME)


MeO
OMe
NH
N
N
O
MeO

=>
Uploading C:\Program Files\Stnexp\Queries\10564123new.str





chain nodes :
15 16 17 18 20 21 22 23 25 26 27 28 31
ring nodes :
1 2 3 4 5 6 7 8 9 10 11 12 13 14
chain bonds :
1-20 2-15 4-16 7-27 7-28 8-25 8-26 11-23 12-17 13-22 14-21 15-31 17-18
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-10 7-8 8-9 9-10 9-11 10-14 11-12 12-13
13-14
exact/norm bonds :
1-2 1-6 1-20 2-3 2-15 3-4 4-5 4-16 5-6 5-7 6-10 7-8 7-27 7-28 8-9
8-25 8-26 11-23 12-17 13-22 14-21 15-31 17-18
normalized bonds :
9-10 9-11 10-14 11-12 12-13 13-14
isolated ring systems :
containing 1 :

G1:C,H

G2:H,N,Ak

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:Atom 13:Atom 14:Atom 15:CLASS 16:CLASS 17:CLASS 18:CLASS
20:CLASS 21:CLASS 22:CLASS 23:CLASS 25:CLASS 26:CLASS 27:CLASS 28:CLASS
31:CLASS

<12/04/2007> Erich Leese

L4 STRUCTURE UPLOADED

=> d l4
L4 HAS NO ANSWERS
L4 STR



G1 C,H

G2 H,N,Ak

Structure attributes must be viewed using STN Express query preparation.

=> s l4 full
REG1stRY INITIATED
Substance data SEARCH and crossover from CAS REGISTRY in progress...
Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

FULL SEARCH INITIATED 18:18:39 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 997 TO ITERATE

100.0% PROCESSED 997 ITERATIONS 35 ANSWERS
SEARCH TIME: 00.00.01

L5 35 SEA SSS FUL L4

L6 1 L5

=> file caplus
COST IN U.S. DOLLARS SINCE FILE ENTRY TOTAL SESSION

FULL ESTIMATED COST	0.48	368.14

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	0.00	-0.80

FILE 'CAPLUS' ENTERED AT 18:18:46 ON 20 MAY 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 20 May 2008 VOL 148 ISS 21
FILE LAST UPDATED: 19 May 2008 (20080519/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

http://www.cas.org/legal/infopolicy.html

=> s l6 full
L7 1 L5

=> d ibib abs hitstr

L7 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN
ACCESSION NUMBER: 2005:71068 CAPLUS
DOCUMENT NUMBER: 142:150832
TITLE: Novel inhibitors of mammalian YAK3 and/or MAPKAP-2 kinases for treating various disorders
INVENTOR(S): Sato, Hideyuki; Takada, Mio; Washio, Yoshiaki
PATENT ASSIGNEE(S): Smithkline Beecham Corporation, USA
SOURCE: PCT Int. Appl., 52 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005007092	A2	20050127	WO 2004-US21701	20040707
WO 2005007092	A3	20050609		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1641766	A2	20060405	EP 2004-777657	20040707
R: LT, LV, HR				
JP 2007525475	T	20070906	JP 2006-518862	20040707
US 20060178384	A1	20060810	US 2006-564123	20060106
PRIORITY APPLN. INFO.:			US 2003-485365P P	20030708
			WO 2004-US21701 W	20040707

OTHER SOURCE(S): CASREACT 142:150832; MARPAT 142:150832

AB This invention relates to newly identified inhibitors of YAK3 and/or MAPKAP-2 (MK2) kinases in mammal for treating various disorders, i.e.: neutropenia; cytopenia; anemias, including anemias due to renal insufficiency or to a chronic disease, such as autoimmunity or cancer, and drug-induced anemias; polycythemia; myelosuppression; rheumatoid arthritis; COPD; asthma; psoriasis; acute neuronal injury; heart failure; stroke, osteoarthritis; and ischemia reperfusion injury. Preparation of various inhibitors of YAK3 and/or MK2 kinases is described.

IT 830358-16-2P
RL: BSU (Biological study, unclassified); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(novel inhibitors of mammalian YAK3 and/or MAPKAP-2 kinases for treating various disorders)

RN 830358-16-2 CAPLUS
CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 2-[(2,6-dimethoxyphenyl)amino]-6,7-dihydro-9-methoxy- (CA INDEX NAME)



IT 830358-17-3P 830358-18-4P 830358-19-5P
830358-20-8P 830358-21-9P 830358-22-0P
830358-23-1P 830358-24-2P 830358-25-3P
830358-26-4P 830358-27-5P 830358-28-6P
830358-29-7P 830358-30-0P 830358-31-1P
830358-32-2P 830358-33-3P 830358-34-4P
830358-35-5P 830358-36-6P 830358-37-7P
830358-38-8P 830358-39-9P 830358-40-2P
830358-41-3P 830358-42-4P 830358-43-5P
830358-44-6P 830358-45-7P 830358-46-8P
830358-47-9P
RL: BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(novel inhibitors of mammalian YAK3 and/or MAPKAP-2 kinases for treating various disorders)

RN 830358-17-3 CAPLUS
CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 6,7-dihydro-2-(1H-indazol-5-ylamino)-9-methoxy- (CA INDEX NAME)



RN 830358-18-4 CAPLUS
CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 6,7-dihydro-9-methoxy-2-[(2-methoxy-6-methylphenyl)amino]- (CA INDEX NAME)



RN 830358-19-5 CAPLUS
CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 6,7-dihydro-2-(1H-indazol-6-ylamino)-9-methoxy- (CA INDEX NAME)



RN 830358-20-8 CAPLUS
CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 2-[(2-bromophenyl)amino]-6,7-dihydro-9-methoxy- (CA INDEX NAME)



RN 830358-21-9 CAPLUS

CN Benzenesulfonamide, 3-[(6,7-dihydro-9-methoxy-4-oxo-4H-pyrimido[6,1-a]isoquinolin-2-yl)amino]- (CA INDEX NAME)



RN 830358-22-0 CAPLUS
CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 2-[(2-chlorophenyl)amino]-6,7-dihydro-9-methoxy- (CA INDEX NAME)



RN 830358-23-1 CAPLUS
CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 2-[(2,6-dimethylphenyl)amino]-6,7-dihydro-9-methoxy- (CA INDEX NAME)



RN 830358-24-2 CAPLUS
CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 2-[(2-bromo-6-fluorophenyl)amino]-6,7-dihydro-9-methoxy- (CA INDEX NAME)



RN 830358-25-3 CAPLUS
CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 6,7-dihydro-9-methoxy-2-[(3-methoxyphenyl)amino]- (CA INDEX NAME)



RN 830358-26-4 CAPLUS

CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 6,7-dihydro-2-[(2-hydroxy-6-methylphenyl)amino]-9-methoxy- (CA INDEX NAME)



RN 830358-27-5 CAPLUS
CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 6,7-dihydro-9-methoxy-2-[(4'-methoxy[1,1'-biphenyl]-3-yl)amino]- (CA INDEX NAME)



RN 830358-28-6 CAPLUS
CN Benzoic acid, 3-[(6,7-dihydro-9-methoxy-4-oxo-4H-pyrimido[6,1-a]isoquinolin-2-yl)amino]-, ethyl ester (CA INDEX NAME)



RN 830358-29-7 CAPLUS
CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 6,7-dihydro-9-methoxy-2-[(2-methoxyphenyl)amino]- (CA INDEX NAME)



RN 830358-30-0 CAPLUS
CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 6,7-dihydro-9-methoxy-2-[[2-(trifluoromethyl)phenyl]amino]- (CA INDEX NAME)



RN 830358-31-1 CAPLUS
CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 2-[(4-chloro-2,6-dimethylphenyl)amino]-6,7-dihydro-9-methoxy- (CA INDEX NAME)



RN 830358-32-2 CAPLUS
CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 6,7-dihydro-9-methoxy-2-(5-quinolinylamino)- (CA INDEX NAME)



RN 830358-33-3 CAPLUS
CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 2-[(2-chloro-5-methoxyphenyl)amino]-6,7-dihydro-9-methoxy- (CA INDEX NAME)



RN 830358-34-4 CAPLUS
CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 2-[2-(2-bromophenyl)hydrazinyl]-6,7-dihydro-9-methoxy- (CA INDEX NAME)



RN 830358-35-5 CAPLUS
CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 6,7-dihydro-9-methoxy-2-(2-methyl-2-phenylhydrazinyl)- (CA INDEX NAME)



RN 830358-36-6 CAPLUS
CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 2-[(2-aminoethyl)amino]-6,7-dihydro-9-

methoxy- (CA INDEX NAME)



RN 830358-37-7 CAPLUS
CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 6,7-dihydro-9-methoxy-2-[[2-(1-pyrrolidinyl)ethyl]amino]- (CA INDEX NAME)



RN 830358-38-8 CAPLUS
CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 2-[[2-(dimethylamino)ethyl]amino]-6,7-dihydro-9-methoxy- (CA INDEX NAME)



RN 830358-39-9 CAPLUS
CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 6,7-dihydro-2-[(2-hydroxyethyl)amino]-9-methoxy- (CA INDEX NAME)



RN 830358-40-2 CAPLUS
CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 6,7-dihydro-9-methoxy-2-[(2-methoxyethyl)methylamino]- (CA INDEX NAME)



RN 830358-41-3 CAPLUS
CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 6,7-dihydro-9-methoxy-2-[[(4-methoxyphenyl)methyl]amino]- (CA INDEX NAME)



RN 830358-42-4 CAPLUS
CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 6,7-dihydro-9-methoxy-2-[[(3-methoxyphenyl)methyl]amino]- (CA INDEX NAME)



RN 830358-43-5 CAPLUS
CN Benzamide, 3-bromo-N-[3-[(6,7-dihydro-9-methoxy-4-oxo-4H-pyrimido[6,1-a]isoquinolin-2-yl)amino]phenyl]- (CA INDEX NAME)



RN 830358-44-6 CAPLUS
CN Cyclopentanecarboxamide, N-[3-[(6,7-dihydro-9-methoxy-4-oxo-4H-pyrimido[6,1-a]isoquinolin-2-yl)amino]phenyl]- (CA INDEX NAME)



RN 830358-45-7 CAPLUS
CN Benzenesulfonamide, 3-bromo-N-[3-[(6,7-dihydro-9-methoxy-4-oxo-4H-pyrimido[6,1-a]isoquinolin-2-yl)amino]phenyl]- (CA INDEX NAME)



RN 830358-46-8 CAPLUS
CN Acetamide, N-(6,7-dihydro-9-methoxy-4-oxo-4H-pyrimido[6,1-a]isoquinolin-2-yl)-2-methoxy- (CA INDEX NAME)



RN 830358-47-9 CAPLUS
CN Benzamide, 2,4,6-trichloro-N-(6,7-dihydro-9-methoxy-4-oxo-4H-pyrimido[6,1-

a]isoquinolin-2-yl)- (CA INDEX NAME)



IT 830358-50-4P 830358-51-5P 830358-52-6P
    RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
    (preparation of inhibitors of YAK3 and MAPKAP-2 kinases; novel inhibitors of mammalian YAK3 and/or MAPKAP-2 kinases for treating various disorders)
RN 830358-50-4 CAPLUS
CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 6,7-dihydro-9-methoxy-2-[(3-nitrophenyl)amino]- (CA INDEX NAME)



RN 830358-51-5 CAPLUS
CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 2-[(3-aminophenyl)amino]-6,7-dihydro-9-methoxy- (CA INDEX NAME)



RN 830358-52-6 CAPLUS
CN 4H-Pyrimido[6,1-a]isoquinolin-4-one, 2-amino-6,7-dihydro-9-methoxy- (CA INDEX NAME)



```
=> d his

     (FILE 'HOME' ENTERED AT 18:11:37 ON 20 MAY 2008)

     FILE 'REGISTRY' ENTERED AT 18:11:44 ON 20 MAY 2008
L1             STRUCTURE UPLOADED
L2           1 S L1 FULL

     FILE 'CAPLUS' ENTERED AT 18:12:21 ON 20 MAY 2008
L3           1 S L2 FULL
L4             STRUCTURE UPLOADED
               S L4

     FILE 'REGISTRY' ENTERED AT 18:18:39 ON 20 MAY 2008
L5          35 S L4 FULL

     FILE 'CAPLUS' ENTERED AT 18:18:39 ON 20 MAY 2008
L6           1 S L5 FULL

     FILE 'CAPLUS' ENTERED AT 18:18:46 ON 20 MAY 2008
L7           1 S L6 FULL

=> log y
COST IN U.S. DOLLARS                            SINCE FILE      TOTAL
                                                     ENTRY    SESSION
FULL ESTIMATED COST                                   6.89     375.03

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)      SINCE FILE      TOTAL
                                                     ENTRY    SESSION
CA SUBSCRIBER PRICE                                  -0.80      -1.60

STN INTERNATIONAL LOGOFF AT 18:20:26 ON 20 MAY 2008
```